Steven L. Beshear Governor

Leonard K. Peters Secretary Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

June 26, 2009

David L. Armstrong Chairman

> James Gardner Vice Chairman

John W. Clay Commissioner

Peaks Mill Water District 310 Perkins Road Frankfort, KY 40601

Church Quarles

RE: Case No. 2009-00232 Peaks Mill Water District

The Commission staff has reviewed your application in the above case and finds that it meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502/564-3940.

Sincerely,

Ryan Gatewood, Director

Division of Filings

RG/tw Enclosure



PEAKS MILL WATER DISTRICT

Church Quarles, Chairman

310 Perkins Road Frankfort, Kentucky 40601

(502) 227-5740

June 18, 2009

RECEIVED

JUN 2 3 2009

PUBLIC SERVICE COMMISSION

Public Service Commission P.O. Box 615 Frankfort, KY 40602

2009-232

The Peaks Mill Water District of Franklin County, Kentucky, respectfully requests that the COMMISSION allow us to make an adjustment in our rates in accordance with 807 KAR 5:067, Purchased Water Adjustment Clause.

JUN 2 3 2009

÷

The District has been told by the PSC that Frankfort Electric & Water Plant Board has been granted increase that will take effect April 6, 2009. The District had previously put in place a rate based upon the full rate being granted. Since the PSC only granted a portion of the rate requested, we are reducing our rate by \$0.197 per 1,000 gallons.

The following documents are enclosed:

- Exhibit A. Purchased Water Rate Adjustment
- Exhibit B. Copy of Wholesale Tariff
- Exhibit C. Statement of Purchases and Sales
- Exhibit D. Notice to Customers
- Exhibit E. Tariff Sheet

cc: Attorney General

By copy of this letter with enclosures, we have notified the Attorney General of this application. If you have any questions, please contact Warner Broughman at (859) 271-1778, as he is handling this matter.

Church Quarles

Chairman

D:\Peaks Mill\09-14 PWA\COMML-PSC 6-18-09.doc